


From: Antonius Wahyu Kristianto AWKristianto@bankbii.com 
Subject: RE: [Request ID :##2604##] : M2U RMBP : SKN FAV ERROR
Date: March 9, 2015 at 10:42
To: Gabbytian Rayvandy gabbytian@penril.net
Cc: Penril Customer Support customer.support@penril.net, Haryono Haryono@bankbii.com, Helpdesk biim2u Helpdeskbiim2u@bankbii.com, bii_ib.support@penril.net, Thomas Budi Satrio Wicaksono TWicaksono@bankbii.com



Gabby,

Please check this happend again for SKN fav, FAV within BII , OWN ACC, : Transfer Now Mode in device

```
[3/9/15 10:25:41:963 WIT] 000001c0 SystemOut O [09/03/2015] [10:25:41:962] [ERROR]
[IBTelegraphicServices]:442 - java.text.ParseException: Unparseable date: ""
java.text.ParseException: Unparseable date: ""
    at java.text.DateFormat.parse(DateFormat.java:348)
    at
net.penril.ib.middle.fundtransfer.telegraphic_transfer.service.IBTelegraphicTransferResultsServices.t
elegraphicTransferResults(IBTelegraphicTransferResultsServices.java:722)
    at
net.penril.ib.middle.fundtransfer.telegraphic_transfer.service.IBTelegraphicTransferResultsServices.t
elegraphicTransferResultsFav(IBTelegraphicTransferResultsServices.java:84)
    at
com.rest.rib.service.fundtransfer.telegraphic.IBTelegraphicServices.processFavTelegraphicTransferRe
sultResponse(IBTelegraphicServices.java:439)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:60)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:37)
    at java.lang.reflect.Method.invoke(Method.java:611)
    at
com.sun.jersey.spi.container.JavaMethodInvokerFactory$1.invoke(JavaMethodInvokerFactory.java:6
0)
    at
com.sun.jersey.server.impl.model.method.dispatch.AbstractResourceMethodDispatchProvider$Res
ponseOutInvoker._dispatch(AbstractResourceMethodDispatchProvider.java:205)
    at
com.sun.jersey.server.impl.model.method.dispatch.ResourceJavaMethodDispatcher.dispatch(Resou
rceJavaMethodDispatcher.java:75)
    at com.sun.jersey.server.impl.uri.rules.HttpMethodRule.accept(HttpMethodRule.java:288)
    at com.sun.jersey.server.impl.uri.rules.RightHandPathRule.accept(RightHandPathRule.java:147)
    at com.sun.jersey.server.impl.uri.rules.ResourceClassRule.accept(ResourceClassRule.java:108)
    at com.sun.jersey.server.impl.uri.rules.RightHandPathRule.accept(RightHandPathRule.java:147)
    at
com.sun.jersey.server.impl.uri.rules.RootResourceClassesRule.accept(RootResourceClassesRule.java
:84)
    at
com.sun.jersey.server.impl.application.WebApplicationImpl._handleRequest(WebApplicationImpl.ja
va:1469)
    at
com.sun.jersey.server.impl.application.WebApplicationImpl._handleRequest(WebApplicationImpl.ja
va:1400)
    at
com.sun.jersey.server.impl.application.WebApplicationImpl.handleRequest(WebApplicationImpl.jav
```

```
a:1349)
  at
com.sun.jersey.server.impl.application.WebApplicationImpl.handleRequest(WebApplicationImpl.java:1339)
  at com.sun.jersey.spi.container.servlet.WebComponent.service(WebComponent.java:416)
  at com.sun.jersey.spi.container.servlet.ServletContainer.service(ServletContainer.java:537)
  at com.sun.jersey.spi.container.servlet.ServletContainer.service(ServletContainer.java:699)
  at javax.servlet.http.HttpServlet.service(HttpServlet.java:668)
  at com.ibm.ws.webcontainer.servlet.ServletWrapper.service(ServletWrapper.java:1230)
  at com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:779)
  at com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:478)
  at
com.ibm.ws.webcontainer.servlet.ServletWrapperImpl.handleRequest(ServletWrapperImpl.java:178)
)
  at
com.ibm.ws.webcontainer.filter.WebAppFilterManager.invokeFilters(WebAppFilterManager.java:1071)
  at com.ibm.ws.webcontainer.webapp.WebApp.handleRequest(WebApp.java:3826)
  at com.ibm.ws.webcontainer.webapp.WebGroup.handleRequest(WebGroup.java:304)
  at com.ibm.ws.webcontainer.WebContainer.handleRequest(WebContainer.java:976)
  at com.ibm.ws.webcontainer.WSWebContainer.handleRequest(WSWebContainer.java:1662)
  at com.ibm.ws.webcontainer.channel.WCChannelLink.ready(WCChannelLink.java:200)
  at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleDiscrimination(HttpInboundLink.java:459)
  at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleNewRequest(HttpInboundLink.java:526)
  at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.processRequest(HttpInboundLink.java:312)
)
  at
com.ibm.ws.http.channel.inbound.impl.HttpICLReadCallback.complete(HttpICLReadCallback.java:88)
)
  at
com.ibm.ws.tcp.channel.impl.AioReadCompletionListener.futureCompleted(AioReadCompletionListener.java:175)
  at com.ibm.io.async.AbstractAsyncFuture.invokeCallback(AbstractAsyncFuture.java:217)
  at com.ibm.io.async.AsyncChannelFuture.fireCompletionActions(AsyncChannelFuture.java:161)
  at com.ibm.io.async.AsyncFuture.completed(AsyncFuture.java:138)
  at com.ibm.io.async.ResultHandler.complete(ResultHandler.java:204)
```

From: Antonius Wahyu Kristianto

Sent: Friday, March 06, 2015 2:27 PM

To: Gabbytian Rayvandy

Cc: Penril Customer Support; Haryono; Helpdesk biim2u; bii_ib.support@penril.net; Thomas Budi Satrio Wicaksono

Subject: RE: [Request ID :##2604##] : M2U RMBP : SKN FAV ERROR

Gabby, this also happen in FAV within BII via device.

Need your help to fix this item as well

Log already sent in other email.

Regards

Wahyu

From: Gabbytian Rayvandy [<mailto:gabbytian@penril.net>]

Sent: Thursday, March 05, 2015 6:01 PM

To: Antonius Wahyu Kristianto

Cc: Penril Customer Support; Haryono; Helpdesk biim2u; bii_ib.support@penril.net; Thomas Budi Satrio Wicaksono

Subject: Re: [Request ID :##2604##] : M2U RMBP : SKN FAV ERROR

Dear Pak Wahyu,

Kindly test this item in SIT. UAT is not yet installed.

Root cause:


- Result page demands effective date to be present when inserting to database. However, effective date was passed null during open trx result.


Solution:

- Handle checking for null value.

Area to test:

1. Open & Fav SKN/RTGS Result Page,
2. Open Own Account Result Page,
3. Open & Fav FCR Result Page,
4. Open & Fav Within BII Result Page.





Thank you.

Best Regards,

G. Rayvandy

Software Developer

Penril Datability (M) Sdn Bhd

Suite A-07-07, Plaza Mont Kiara,

No 2, Jalan Kiara, Mont Kiara,

50480 Kuala Lumpur.

(Tel) 603 6201-2622

(Fax) 603-6201-7622

Mobile #1 : +60 17 331 8862 (Malaysia)

Mobile #2 : +62 878 2195 4229 (Indonesia)

BBM : 7981DEC5 & 269AA2FF

On Mar 5, 2015, at 13:45, Antonius Wahyu Kristianto
<AWKristianto@bankbii.com> wrote:

Gabby,

The trx is running successful , the issue is when trying to insert data to DB.

Regards

Wahyu

From: Penril Customer Support [<mailto:customer.support@penril.net>]

Sent: Thursday, March 05, 2015 10:52 AM

To: Antonius Wahyu Kristianto

Cc: customer.support@penril.net; Haryono; Helpdesk biim2u; bii_ib.support@penril.net; gabbytian@penril.net

Subject: Re: [Request ID :##2604##] : M2U RMBP : SKN FAV ERROR

Hi,

Thanks for your request.

at javax.servlet.http.HttpServlet.service(HttpServlet.java:668)
at
com.ibm.ws.webcontainer.servlet.ServletWrapper.service(ServletWrapper.java:1230)
at
com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:779)
at
com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:478)
at
com.ibm.ws.webcontainer.servlet.ServletWrapperImpl.handleRequest(ServletWrapperImpl.java:178)
at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.invokeTarget(WebAppFilterChain.java:136)
at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.doFilter(WebAppFilterChain.java:97)
at
com.ibm.common.utils.SessionTimeoutFilter.doFilter(SessionTimeoutFilter.java:85)
at
com.ibm.ws.webcontainer.filter.FilterInstanceWrapper.doFilter(FilterInstanceWrapper.java:195)
at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.doFilter(WebAppFilterChain.java:91)
at
com.ibm.ws.webcontainer.filter.WebAppFilterManager.doFilter(WebAppFilterManager.java:960)
at
com.ibm.ws.webcontainer.filter.WebAppFilterManager.invokeFilters(WebAppFilterManager.java:1064)
at
com.ibm.ws.webcontainer.webapp.WebApp.handleRequest(WebApp.java:3826)
at
com.ibm.ws.webcontainer.webapp.WebGroup.handleRequest(WebGroup.java:304)
at
com.ibm.ws.webcontainer.WebContainer.handleRequest(WebContainer.java:976)
at
com.ibm.ws.webcontainer.WSWebContainer.handleRequest(WSWebContainer.java:1662)
at
com.ibm.ws.webcontainer.channel.WCChannelLink.ready(WCChannelLink.java:200)
at
com.ibm.ws.webcontainer.channel.WCChannelLink.ready(WCChannelLink.java:200)
at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleDiscrimination(H

```
ttpInboundLink.java:459)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleNewRequest(Http
InboundLink.java:526)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.processRequest(HttpInb
oundLink.java:312)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.ready(HttpInboundLink.
java:283)
    at
com.ibm.ws.ssl.channel.impl.SSLConnectionLink.determineNextChannel(SSLCo
nnectionLink.java:1048)
    at
com.ibm.ws.ssl.channel.impl.SSLConnectionLink$MyReadCompletedCallback.c
omplete(SSLConnectionLink.java:642)
    at
com.ibm.ws.ssl.channel.impl.SSLReadServiceContext$SSLReadCompletedCallb
ack.complete(SSLReadServiceContext.java:1784)
    at
com.ibm.ws.tcp.channel.impl.AioReadCompletionListener.futureCompleted(Aio
ReadCompletionListener.java:175)
    at
com.ibm.io.async.AbstractAsyncFuture.invokeCallback(AbstractAsyncFuture.jav
a:217)
    at
com.ibm.io.async.AsyncChannelFuture.fireCompletionActions(AsyncChannelFut
ure.java:161)
        at com.ibm.io.async.AsyncFuture.completed(AsyncFuture.java:138)
        at com.ibm.io.async.ResultHandler.complete(ResultHandler.java:204)
        at
com.ibm.io.async.ResultHandler.runEventProcessingLoop(ResultHandler.java:77
5)
            at com.ibm.io.async.ResultHandler$2.run(ResultHandler.java:905)
            at com.ibm.ws.util.ThreadPool$Worker.run(ThreadPool.java:1862)
Caused by: java.lang.NullPointerException
    at
net.penril.ib.middle.fundtransfer.telegraphic_transfer.service.IBTelegraphicTransf
erResultsServices.telegraphicTransferResults(IBTelegraphicTransferResultsSe
rvices.java:722)
    at
com.ibm.rib.controller.actions.ib104_fundtransfer.telegraphic_transfer.IBTelegraphi
cTransferResultsAction.execute(IBTelegraphicTransferResultsAction.java:158)
    at
org.apache.struts.action.RequestProcessor.processActionPerform(RequestProcess
or.java:484)
    ... 37 more
```

```
[3/5/15 10:44:52:265 WIT] 000000f5 SystemOut   O [05/03/2015]
[10:44:52:265] [ERROR] [SessionTimeoutFilter]:527 -
javax.servlet.ServletException: java.lang.NullPointe
```

```
rException
    at
org.apache.struts.action.RequestProcessor.processException(RequestProcessor.java:545)
    at
org.apache.struts.action.RequestProcessor.processActionPerform(RequestProcessor.java:486)
    at
org.apache.struts.action.RequestProcessor.process(RequestProcessor.java:274)
    at org.apache.struts.action.ActionServlet.process(ActionServlet.java:1482)
    at org.apache.struts.action.ActionServlet.doPost(ActionServlet.java:525)
    at com.ibm.common.utils.IBActionServlet.doPost(IBActionServlet.java:82)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:595)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:668)
    at
com.ibm.ws.webcontainer.servlet.ServletWrapper.service(ServletWrapper.java:1230)
    at
com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:779)
    at
com.ibm.ws.webcontainer.servlet.ServletWrapper.handleRequest(ServletWrapper.java:478)
    at
com.ibm.ws.webcontainer.servlet.ServletWrapperImpl.handleRequest(ServletWrapperImpl.java:178)
    at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.invokeTarget(WebAppFilterChain.java:136)
    at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.doFilter(WebAppFilterChain.java:97)
    at
com.ibm.common.utils.SessionTimeoutFilter.doFilter(SessionTimeoutFilter.java:85)
    at
com.ibm.ws.webcontainer.filter.FilterInstanceWrapper.doFilter(FilterInstanceWrapper.java:195)
    at
com.ibm.ws.webcontainer.filter.WebAppFilterChain.doFilter(WebAppFilterChain.java:91)
    at
com.ibm.ws.webcontainer.filter.WebAppFilterManager.doFilter(WebAppFilterManager.java:960)
    at
com.ibm.ws.webcontainer.filter.WebAppFilterManager.invokeFilters(WebAppFilterManager.java:1064)
    at
com.ibm.ws.webcontainer.webapp.WebApp.handleRequest(WebApp.java:3826)
    at
com.ibm.ws.webcontainer.webapp.WebGroup.handleRequest(WebGroup.java:304)
```



```
    at
com.ibm.ws.webcontainer.WebContainer.handleRequest(WebContainer.java:976)
    at
com.ibm.ws.webcontainer.WSWebContainer.handleRequest(WSWebContainer.java:1662)
    at
com.ibm.ws.webcontainer.channel.WCChannelLink.ready(WCChannelLink.java:200)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleDiscrimination(HttpInboundLink.java:459)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.handleNewRequest(HttpInboundLink.java:526)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.processRequest(HttpInboundLink.java:312)
    at
com.ibm.ws.http.channel.inbound.impl.HttpInboundLink.ready(HttpInboundLink.java:283)
    at
com.ibm.ws.ssl.channel.impl.SSLConnectionLink.determineNextChannel(SSLConnectionLink.java:1048)
    at
com.ibm.ws.ssl.channel.impl.SSLConnectionLink$MyReadCompletedCallback.complete(SSLConnectionLink.java:642)
    at
com.ibm.ws.ssl.channel.impl.SSLReadServiceContext$SSLReadCompletedCallback.complete(SSLReadServiceContext.java:1784)
    at
com.ibm.ws.tcp.channel.impl.AioReadCompletionListener.futureCompleted(AioReadCompletionListener.java:175)
    at
com.ibm.io.async.AbstractAsyncFuture.invokeCallback(AbstractAsyncFuture.java:217)
    at
com.ibm.io.async.AsyncChannelFuture.fireCompletionActions(AsyncChannelFuture.java:161)
    at com.ibm.io.async.AsyncFuture.completed(AsyncFuture.java:138)
    at com.ibm.io.async.ResultHandler.complete(ResultHandler.java:204)
    at
com.ibm.io.async.ResultHandler.runEventProcessingLoop(ResultHandler.java:775)
    at com.ibm.io.async.ResultHandler$2.run(ResultHandler.java:905)
    at com.ibm.ws.util.ThreadPool$Worker.run(ThreadPool.java:1862)
Caused by: java.lang.NullPointerException
    at
net.penril.ib.middle.fundtransfer.telegraphic_transfer.service.IBTelegraphicTransferResultsServices.telegraphicTransferResults(IBTelegraphicTransferResultsServices.java:722)
    at
```

com.ib.rib.controller.actions.ib104_fundtransfer.telegraphic_transfer.IBTelegraphicTransferResultsAction.execute(IBTelegraphicTransferResultsAction.java:158)
at
org.apache.struts.action.RequestProcessor.processActionPerform(RequestProcessor.java:484)
... 37 more

This e-mail and any attachments are intended only for use by the addressee(s) named herein and may contain legally privileged and/or confidential information. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this e-mail and any attachments is strictly prohibited. E-mail transmission cannot be guaranteed to be secured or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender shall not be held responsible for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission

This e-mail and any attachments are intended only for use by the addressee(s) named herein and may contain legally privileged and/or confidential information. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this e-mail and any attachments is strictly prohibited. E-mail transmission cannot be guaranteed to be secured or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender shall not be held responsible for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission

This e-mail and any attachments are intended only for use by the addressee(s) named herein and may contain legally privileged and/or confidential information. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this e-mail and any attachments is strictly prohibited. E-mail transmission cannot be guaranteed to be secured or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender shall not be held responsible for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission

